

Material Data Safety Sheet

Product Name: Belgian Cocoa - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-COCO-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Café Mocha - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-CAFE-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Captain Jack - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-CAPT-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: CoolMist - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-MIST-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Freedom Juice - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-FRDM-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: HX3 - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-HX3X-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Kringles Curse - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-KRNG-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Longhorn - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-LONG-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Malibu - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-MLBU-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Menthol Ice - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-MNIC-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Midnight Apple - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-MAPL-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Mystic - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-MYST-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Prime15 - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-PRME-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Shamrock - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-SHAM-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Tiki Juice - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-TIKI-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Torque 56 - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-TORQ-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Tribeca - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-TRIB-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Truepure - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-TRUE-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Turkish Tobacco - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-TURK-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg

Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Twisted Java - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-JAVA-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg

Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc

between 0 and 50).

Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Souther Classic - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-SOTH-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: SubZero - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-SUBZ-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013



Material Data Safety Sheet

Product Name: Voodoo - 00 mg/ml

Section 1: Product and Company Identification

Product ID: ELIQ-VODO-00MG Contact Information: The Halo Company

Synonyms: E-liquid, E-Juice, Essence PO Box 406

CAS#: Pompton Plains, NJ 07444

RTEC: Not Available United States Of America

CI#: Not Available Phone: (1) 888-425-6649 x701

Section 2: Composition Information

Description: This mixture contains USP Grade Propylene Glycol, USP Grade Glycerin. Mixture is prepared under GMP conditions.

Ingredient	Chemical Name	Formula	CAS#	Amount
Propylene Glycol, USP	1,2-propanediol	C ₃ H ₈ O ₂	57-55-6	< 55% by weight
Glycerin, USP	1,2,3-propanetriol	C ₃ H ₈ O ₃	56-81-5	< 45% by weight
Proprietary Flavor Blend:	N/A	N/A	N/A	< 15% by weight

Section 3: Hazards Identification

Eye Contact: May cause eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May be irritating to mucous membranes and upper respiratory tract.

Ingestion: May cause nausea.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush

eyes with plenty of water for at least 15 minutes. Cold water may be used. Get

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-

bacterial cream.

Serious Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5: Fire and Explosion Data

General Information:

Propylene Glycol, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 371 °C

Flash Points: Closed Cup: 99 °C / Open Cup: 107 °C

Flammable Limits: Lower: 2.6% / Upper: 12.5%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in presence of heat.

Glycerin, USP Flammability: May be combustible at high temperature.

Auto-Ignition Temp.: 370 °C

Flash Points: Closed Cup: 160 °C / Open Cup: 199 °C

Flammable Limits: Lower: 0.9%

Products of Combustion: Carbon Oxides (CO, CO2)

Explosive Hazards: Not Available

Fire Hazards: Slightly flammable to flammable in in presence of heat,

open flames, and sparks. Explosive in presence of

oxidizing materials.

Fire Fighting Media and Instructions

Suitable Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder or foam.

Unsuitable Extinguishing Media: Do not use extinguishing media containing oxidizing agents.

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large Spill: Stop leak if without risk. Do not get water inside container. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined

areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Handing Precautions Safe Handling: Do not allow getting into eyes, on skin and on clothing.

Avoid prolonged or repeated exposure.

Environment: Avoid runoff into storm sewers and ditches which lead

to waterways.

Incompatibility: Keep away from oxidizing agents and strong acids.

Storage Precautions Temperature: Store between 50°F - 70°F. Keep away from high heat.

Sunlight: Store protected from sunlight and artificial light.

Humidity: Store in a cool dry place protected from moisture.

Ventilation: Provide adequate ventilation. Keep away from fumes.

Packaging: Store in tightly closed containers. Do not reuse

containers.

Specific Use Refill liquid for use in electronic cigarettes.

Section 8: Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified

respirator or equivalent. Gloves.

Personal Protection:

(Large Spills)

Splash goggles, full suit, vapor respirator, boots and gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Suggested protective clothing might not be sufficient; consult a specialist

BEFORE handling this product.

Exposure Limits: Propylene Glycol, USP United States (AIHA) 10 mg/m³

Glycerin, USP United States (OSHA) 15 mg/m³

Netherlands 0.07 ppm MAC

Spain 0.5 mg/m³ VLA-ED

Section 9: Physical and Chemical Properties

Physical State: Liquid Vapor Pressure: Not Available

Color Clear to Light Yellow Density: 1,125 g/cm³

Odor: Slightly Pungent Rel. Density: Not Available

pH-value: Not available Vapor Density: >1 vs aih

Boiling point: 250°C **Evaporation Rate:** Not Available

Freezing Point: -65° C Water Solubility: 50 mg/ml

Viscosity: 600 mPas

(Dynamic at 20°C)

Section 10: Stability and Reactivity

Chemical Stability: Stable Polymerization: Will Not Occur

Reactive with oxidizing agents, reducing agents, acids, alkalis.

Instability Conditions: Avoid contact with incompatible materials, excess heat and ignition sources.

Section 11: Toxicology Information

Propylene Glycol, USP Oral, Rat: LD50 = 20,000 mg/kg

Oral, Mouse: LD50 = 22,000 mg/kg

Dermal, Rabbit: LD50 = 20,800 mg/kg

Glycerin, USP Oral, Rat: LD50 = 12,600 mg/kg

Oral, Mouse LD50 = 4,090 mg/kg
Dermal, Rabbit: LD50 = 10,000 mg/kg

Mist, Rat LC50 = $570 \text{ mg/m}^3 / 1 \text{ hour}$ (Based on 4-hour exposure)

Section 12: Ecological Information

Propylene Glycol, USP Toxicity: Fish (Oncorhynchus mykiss) 96 h: LC50 = 40,613 mg/l

Water Flea (Ceriodaphnia Dubia) 48 h: LC50 = 18,340 mg/l

Degradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic

conditions (in the absence of oxygen).

Accumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3)

Log Pow used: -1.07 EU Method A.8 (Partition Coefficient)

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in Soil: Given its very low Henry's constant, volatilization from natural

bodies of water or moist soil is not expected to be an important

fate process., Potential for mobility in soil is very high (Koc

between 0 and 50). Koc: < 1 (estimated)

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Glycerin, USP Toxicity: No aquatic environmental information is available on this

product.

Degradability: This product is completely biodegradable.

Accumulation: Bioaccumulation of this product has not been determined.

Mobility of this material has not been determined. Low

Mobility in Soil: potential for sorption to soil. Glycerine will partition primarily

to water.

Section 13: Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

Sewage Disposal: Avoid release to environment. Do not wash away into sewer.

Chemical Properties: Substance is hygroscopic and should not be allowed to come in contact with

moisture/water.

Section 14: Transport Information

US FEDERAL

DOT Non-Bulk

Not Regulated

DOT Bulk

Not Regulated

IMDG

Not Regulated

ICAO/IATA

Not Regulated

Section 15: Regulatory Information

US FEDERAL

Clean Air Act: Does not contain any hazardous air pollutants.

Does not contain any Class 1 Ozone depletors. Does not contain any Class 2 Ozone depletors.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances

under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under

the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the

CWA.

OSHA: Not considered highly hazardous by OSHA.

Section 16: Other Information

Acronyms: EC: European Commission

CLP: Classification Labelling and Packaging

GHS: Globally harmonized system on classification and labelling

DSD: Dangerous Substance directive EWC: European Waste Catalogue

AVV: Waste codes according to the waste catalogue ordinance

ADR: European agreement concerning the International Carriage of Dangerous Goods by Road RID: European agreement concerning the International Carriage of Dangerous Goods by Rail

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Disclaimer:

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Date Issued: 12/16/2013